




HEAVY DUTY CABLE TRAY
FLOOR & DOUBLE HOLE (TB)

HEAVY DUTY CABLE TRAY FLOOR & DOUBLE HOLE (TB)

ARSINI®

www.eai-co.com
eaindustry@yahoo.com

Cable trays are designed and manufactured to ensure ease during installation. Products are in 2 meter and 3 meter lengths as standard and offered in three different type of section, plain, 90 deg. Inside flange, inside return flange. The sections and its matching fittings are available in standard mill galvanized finish (BS 2989) (JIS G 3302) and Hot dip galvanized after fabrication finish (BS 729) and colored (Kiln-dried Electrostatic Paint) and stainless steel (316L,304). Materials and finishes are also available to suit customer s requirements. Below are cable tray ordering guides.

ORDERED BY CATALOG NUMBER

T B - 4 - 20 4 1.5 - HDG

GENERAL TYPE

HOLE TYPE

FLANGE TYPE

MATERIAL TYPE

THICKNESS

SIDE HEIGHT

WIDTH

SPECIFICATIONS

GENERAL TYPE :

T = Tray

HOLE TYPE :

B = Floor & Double hole

THICKNESS :

1 = 1mm

1.2 = 1.25mm

1.5 = 1.5mm

2 = 2mm

SIDE HEIGHTS :

4 = 40mm

5 = 50mm

6 = 60mm

10 = 100mm

WIDTH :

5 = 50mm

10 = 100mm

15 = 150mm

20 = 200mm

25 = 250mm

30 = 300mm

40 = 400mm

50 = 500mm

60 = 600mm

70 = 700mm

80 = 800mm

90 = 900mm

100 = 100mm

MATERIAL TYPE :


HDG = Hot dip galvanized

SS = Stainless steel


PG = Pre galvanized

C = Colored


FLANGE TYPE



2 = PLAIN TYPE



4 = 90° INSIDE FLANGE




6 = INSIDE RETURN FLANGE

ORDER CODE	A mm	H mm	T mm
TB-6-5H1-?	50	40-50	1.0
TB-6-5H1.2-?	50	40-50	1.25
TB-6-10H1-?	100	40-50-60-100	1.0
TB-6-10H1.2-?	100	40-50-60-100	1.25
TB-6-10H1.5-?	100	40-50-60-100	1.5
TB-6-10H2-?	100	40-50-60-100	2.0
TB-6-15H1-?	150	40-50-60-100	1.0
TB-6-15H1.2-?	150	40-50-60-100	1.25
TB-6-15H1.5-?	150	40-50-60-100	1.5
TB-6-15H2-?	150	40-50-60-100	2.0
TB-6-20H1-?	200	40-50-60-100	1.0
TB-6-20H1.2-?	200	40-50-60-100	1.25
TB-6-20H1.5-?	200	40-50-60-100	1.5
TB-6-20H2-?	200	40-50-60-100	2.0
TB-6-25H1-?	250	40-50-60-100	1
TB-6-25H1.2-?	250	40-50-60-100	1.25
TB-6-25H1.5-?	250	40-50-60-100	1.5
TB-6-25H2-?	250	40-50-60-100	2.0
TB-6-30H1.2-?	300	40-50-60-100	1.25
TB-6-30H1.5-?	300	40-50-60-100	1.5
TB-6-30H2-?	300	40-50-60-100	2.0
TB-6-40H1.2-?	400	40-50-60-100	1.25
TB-6-40H1.5-?	400	40-50-60-100	1.5
TB-6-40H2-?	400	40-50-60-100	2.0
TB-6-50H1.5-?	500	40-50-60-100	1.5
TB-6-50H2-?	500	40-50-60-100	2.0
TB-6-60H1.5-?	600	40-50-60-100	1.5
TB-6-60H2-?	600	40-50-60-100	2.0
TB-6-70H2-?	700	40-50-60-100	2.0
TB-6-80H2-?	800	40-50-60-100	2.0
TB-6-90H2-?	900	40-50-60-100	2.0
TB-6-100H2-?	1000	40-50-60-100	2.0

ORDER CODE	A mm	H mm	T mm
TB-4-5H1-?	50	40-50	1.0
TB-4-5H1.2-?	50	40-50	1.25
TB-4-10H1-?	100	40-50-60-100	1.0
TB-4-10H1.2-?	100	40-50-60-100	1.25
TB-4-10H1.5-?	100	40-50-60-100	1.5
TB-4-10H2-?	100	40-50-60-100	2.0
TB-4-15H1-?	150	40-50-60-100	1.0
TB-4-15H1.2-?	150	40-50-60-100	1.25
TB-4-15H1.5-?	150	40-50-60-100	1.5
TB-4-15H2-?	150	40-50-60-100	2.0
TB-4-20H1-?	200	40-50-60-100	1.0
TB-4-20H1.2-?	200	40-50-60-100	1.25
TB-4-20H1.5-?	200	40-50-60-100	1.5
TB-4-20H2-?	200	40-50-60-100	2.0
TB-4-25H1-?	250	40-50-60-100	1
TB-4-25H1.2-?	250	40-50-60-100	1.25
TB-4-25H1.5-?	250	40-50-60-100	1.5
TB-4-25H2-?	250	40-50-60-100	2.0
TB-4-30H1.2-?	300	40-50-60-100	1.25
TB-4-30H1.5-?	300	40-50-60-100	1.5
TB-4-30H2-?	300	40-50-60-100	2.0
TB-4-40H1.2-?	400	40-50-60-100	1.25
TB-4-40H1.5-?	400	40-50-60-100	1.5
TB-4-40H2-?	400	40-50-60-100	2.0
TB-4-50H1.5-?	500	40-50-60-100	1.5
TB-4-50H2-?	500	40-50-60-100	2.0
TB-4-60H1.5-?	600	40-50-60-100	1.5
TB-4-60H2-?	600	40-50-60-100	2.0
TB-4-70H2-?	700	40-50-60-100	2.0
TB-4-80H2-?	800	40-50-60-100	2.0
TB-4-90H2-?	900	40-50-60-100	2.0
TB-4-100H2-?	1000	40-50-60-100	2.0

NOTES:

1. Cable tray length 2000-3000mm
2. Each cable tray need 1 pcs (U)shape connector
Or 2 pcs straight connector
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR & DOUBLE HOLE (TB)



ARSINI®

www.eal-co.com
eaindustry@yahoo.com

1- (U)Shape connectors


NOTES:

1. (U)shape connector length 150-300mm
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	A mm	H mm	T mm	L mm
B1-5HTL-?	50	40-50	1 - 1.25	150-300
B1-10HTL-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
B1-15HTL-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
B1-20HTL-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
B1-25HTL-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
B1-30HTL-?	300	40-50-60-100	1.25 - 1.5 - 2	150-300
B1-40HTL-?	400	40-50-60-100	1.25 - 1.5 - 2	150-300
B1-50HTL-?	500	40-50-60-100	1.5 - 2	150-300
B1-60HTL-?	600	40-50-60-100	1.5 - 2	150-300
B1-70HTL-?	700	40-50-60-100	2	150-300
B1-80HTL-?	800	40-50-60-100	2	150-300
B1-90HTL-?	900	40-50-60-100	2	150-300
B1-100HTL-?	1000	40-50-60-100	2	150-300

Connection Example



2- Straight connectors


ORDER CODE	L mm	H mm	T mm
B2-1HT-?	200 - 300	40-50-60-100	1 - 1.25 - 1.5 - 2
B2-2HT-?	200 - 300	40-50-60-100	1 - 1.25 - 1.5 - 2



B2-1


NOTES:

1. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




B2-2

Connection Example



Connection Example




3- Horizontal bend 90 degree (R150)


NOTES:

1. In our standard productions (B) dimensions with (A) Dimensions are equal, In your requests (B) dimensions Can be changed and the production can be made According to your request.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
B3-5HT-?(R)	50	40-50	1 - 1.25
B3-10HT-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B3-15HT-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B3-20HT-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B3-25HT-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B3-30HT-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
B3-40HT-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
B3-50HT-?(R)	500	40-50-60-100	1.5 - 2
B3-60HT-?(R)	600	40-50-60-100	1.5 - 2
B3-70HT-?(R)	700	40-50-60-100	2
B3-80HT-?(R)	800	40-50-60-100	2
B3-90HT-?(R)	900	40-50-60-100	2
B3-100HT-?(R)	1000	40-50-60-100	2



Connection Example




4- Horizontal tee (R150)


NOTES:

1. In our standard productions (A,B and C) dimensions Equal In your requests (B and C) dimensions can be Changed and the production can be made accorsing To your request.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
B4-5HT-?(R)	50	40-50	1 - 1.25
B4-10HT-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B4-15HT-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B4-20HT-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B4-25HT-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B4-30HT-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
B4-40HT-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
B4-50HT-?(R)	500	40-50-60-100	1.5 - 2
B4-60HT-?(R)	600	40-50-60-100	1.5 - 2
B4-70HT-?(R)	700	40-50-60-100	2
B4-80HT-?(R)	800	40-50-60-100	2
B4-90HT-?(R)	900	40-50-60-100	2
B4-100HT-?(R)	1000	40-50-60-100	2



Connection Example



HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR & DOUBLE HOLE (TB)

ARSINI®

www.eal-co.com
ealindustry@yahoo.com



5- Horizontal crossing(R150)

NOTES:

1. In our standard productions (A,B,C and D) dimensions Equal in your requests (B,C and D) dimensions can be changed and the production can be made accorsing To your request.

2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
B5-5HTL-?(R)	50	40-50	1 - 1.25
B5-10HTL-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B5-15HTL-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B5-20HTL-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B5-25HTL-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B5-30HTL-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
B5-40HTL-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
B5-50HTL-?(R)	500	40-50-60-100	1.5 - 2
B5-60HTL-?(R)	600	40-50-60-100	1.5 - 2
B5-70HTL-?(R)	700	40-50-60-100	2
B5-80HTL-?(R)	800	40-50-60-100	2
B5-90HTL-?(R)	900	40-50-60-100	2
B5-100HTL-?(R)	1000	40-50-60-100	2





Connection Example

6- Horizontal bend 45 degree


NOTES:

1. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
B6-5HT-?	50	40-50	1 - 1.25
B6-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B6-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B6-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B6-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B6-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B6-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B6-50HT-?	500	40-50-60-100	1.5 - 2
B6-60HT-?	600	40-50-60-100	1.5 - 2
B6-70HT-?	700	40-50-60-100	2
B6-80HT-?	800	40-50-60-100	2
B6-90HT-?	900	40-50-60-100	2
B6-100HT-?	1000	40-50-60-100	2



Connection Example



HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR & DOUBLE HOLE (TB)


ARSINI®

www.eai-co.com
eaiindustry@yahoo.com


7- Reducer (Left)

NOTES:

1. The other sizes reductions can be produced as per Clint's requests.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
B7-5HTL-?	50	40-50	1 - 1.25
B7-10HTL-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B7-15HTL-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B7-20HTL-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B7-25HTL-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B7-30HTL-?	300	40-50-60-100	1.25 - 1.5 - 2
B7-40HTL-?	400	40-50-60-100	1.25 - 1.5 - 2
B7-50HTL-?	500	40-50-60-100	1.5 - 2
B7-60HTL-?	600	40-50-60-100	1.5 - 2
B7-70HTL-?	700	40-50-60-100	2
B7-80HTL-?	800	40-50-60-100	2
B7-90HTL-?	900	40-50-60-100	2
B7-100HTL-?	1000	40-50-60-100	2




Connection Example


8- Reducer (Middle)

NOTES:

1. The other sizes reductions can be produced as per Clint's requests.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
B8-5HT-?	50	40-50	1 - 1.25
B8-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B8-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B8-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B8-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B8-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B8-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B8-50HT-?	500	40-50-60-100	1.5 - 2
B8-60HT-?	600	40-50-60-100	1.5 - 2
B8-70HT-?	700	40-50-60-100	2
B8-80HT-?	800	40-50-60-100	2
B8-90HT-?	900	40-50-60-100	2
B8-100HT-?	1000	40-50-60-100	2



Connection Example

9- Reducer (Right)


NOTES:

1. The other sizes reductions can be produced as per Clint's requests.


2. (?) → H.D.G: Hot dip galvanized

P.G: Pre galvanized

C: Colored



ORDER CODE	A mm	H mm	T mm
B9-5HT-?	50	40-50	1 - 1.25
B9-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B9-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B9-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B9-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B9-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B9-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B9-50HT-?	500	40-50-60-100	1.5 - 2
B9-60HT-?	600	40-50-60-100	1.5 - 2
B9-70HT-?	700	40-50-60-100	2
B9-80HT-?	800	40-50-60-100	2
B9-90HT-?	900	40-50-60-100	2
B9-100HT-?	1000	40-50-60-100	2




10- Separator (Divider)

NOTES:


1. (?) → H.D.G: Hot dip galvanized

P.G: Pre galvanized

C: Colored




B10-2




B10-1

ORDER CODE	L mm	H mm	T mm
B10-2HT-?	2000 - 3000	36-46-56-96	1 - 1.25 - 1.5 - 2
B10-1HT-?	2000 - 3000	36-46-56-96	1 - 1.25 - 1.5 - 2

Connection Example



Connection Example



HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR & DOUBLE HOLE (TB)


ARSINI®

www.eai-co.com
eaiindustry@yahoo.com


11- Inside vertical bend 90 degree

NOTES:

1. Each inside vertical bend need 2 pcs (U) shape connector
Or 4 pcs straight connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored





ORDER CODE	A mm	H mm	T mm
B11-5HT-?	50	40-50	1 - 1.25
B11-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B11-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B11-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B11-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B11-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B11-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B11-50HT-?	500	40-50-60-100	1.5 - 2
B11-60HT-?	600	40-50-60-100	1.5 - 2
B11-70HT-?	700	40-50-60-100	2
B11-80HT-?	800	40-50-60-100	2
B11-90HT-?	900	40-50-60-100	2
B11-100HT-?	1000	40-50-60-100	2




12- Outside vertical bend 90 degree

NOTES:

1. Each outside vertical bend need 2 pcs (U) shape connector
OR 4 pcs straight connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	A mm	H mm	T mm
B12-5HT-?	50	40-50	1 - 1.25
B12-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B12-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B12-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B12-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B12-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B12-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B12-50HT-?	500	40-50-60-100	1.5 - 2
B12-60HT-?	600	40-50-60-100	1.5 - 2
B12-70HT-?	700	40-50-60-100	2
B12-80HT-?	800	40-50-60-100	2
B12-90HT-?	900	40-50-60-100	2
B12-100HT-?	1000	40-50-60-100	2




13- Inside vertical bend 90 degree

NOTES:

1. Each inside vertical bend need 2 pcs (U) shape connector
Or 4 pcs straight connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	A mm	H mm	T mm
B13-5HT-?	50	40-50	1 - 1.25
B13-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B13-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B13-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B13-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B13-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B13-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B13-50HT-?	500	40-50-60-100	1.5 - 2
B13-60HT-?	600	40-50-60-100	1.5 - 2
B13-70HT-?	700	40-50-60-100	2
B13-80HT-?	800	40-50-60-100	2
B13-90HT-?	900	40-50-60-100	2
B13-100HT-?	1000	40-50-60-100	2




14- Outside vertical bend 90 degree

NOTES:

1. Each outside vertical bend need 2 pcs (U) shape connector
Or 4 pcs straight connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
B14-5HT-?	50	40-50	1 - 1.25
B14-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B14-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B14-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B14-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B14-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B14-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B14-50HT-?	500	40-50-60-100	1.5 - 2
B14-60HT-?	600	40-50-60-100	1.5 - 2
B14-70HT-?	700	40-50-60-100	2
B14-80HT-?	800	40-50-60-100	2
B14-90HT-?	900	40-50-60-100	2
B14-100HT-?	1000	40-50-60-100	2



HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR & DOUBLE HOLE (TB)

ARSINI®


www.eai-co.com
eaindustry@yahoo.com

15- Adjustable vertical bend unit


NOTES:

1. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored


ORDER CODE	A mm	H mm	T mm
B15-5HT-?	50	40-50	1 - 1.25
B15-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B15-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B15-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B15-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B15-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B15-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B15-50HT-?	500	40-50-60-100	1.5 - 2
B15-60HT-?	600	40-50-60-100	1.5 - 2
B15-70HT-?	700	40-50-60-100	2
B15-80HT-?	800	40-50-60-100	2
B15-90HT-?	900	40-50-60-100	2
B15-100HT-?	1000	40-50-60-100	2



Connection Example



Connection Example





16- Adjustable straight joint unit

NOTES:

1. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	L mm	H mm	T mm
B16-HT-?	140	40 - 50 - 60 - 100	1 - 1.25 - 1.5 - 2




Connection Example


17- Vertical tee

NOTES:

1. Each vertical tee need 3 pcs (U) shape connector or 6 pcs Straight connector.
2. In our standard productions (B) dimensions with (A) Dimensions equal in your requests (B) dimensions Can be Changed and special dimensions (T) vertical tee produce.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
B17-5HT-?	50	40-50	1 - 1.25
B17-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
B17-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
B17-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
B17-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
B17-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
B17-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
B17-50HT-?	500	40-50-60-100	1.5 - 2
B17-60HT-?	600	40-50-60-100	1.5 - 2
B17-70HT-?	700	40-50-60-100	2
B17-80HT-?	800	40-50-60-100	2
B17-90HT-?	900	40-50-60-100	2
B17-100HT-?	1000	40-50-60-100	2



18- Bolts & Nuts & Washers



B18-1



B18-2



B18-3



B18-4



B18-5



B18-6



B18-7




B18-8

ORDER CODE	(∅)D mm	L mm	Description
B18-1-6	M6	16 - 20	Slotted Truss Head
B18-1-8	M8	16 - 20	Slotted Truss Head
B18-2-6	M6	16 - 20	Hex Screw
B18-2-8	M8	16 - 20	Hex Screw
B18-3-6	M6	16 - 20	Cup Head Square Neck
B18-3-8	M8	16 - 20	Cup Head Square Neck
B18-4-6	M6	16	Flat Washer
B18-4-8	M8	20	Flat Washer
B18-5-6	M6	16	Spring Lock Washer
B18-5-8	M8	20	Spring Lock Washer
B18-6-6	M6		Square Nut
B18-6-8	M8		Square Nut
B18-7-6	M6		Hex Nut
B18-7-8	M8		Hex Nut
B18-8-6	M6		Hex Flange Nut
B18-8-8	M8		Hex Flange Nut

ARSINI®





HEAVY DUTY CABLE TRAY
FLOOR HOLE (TA)

HEAVY DUTY CABLE TRAY **FLOOR HOLE (TA)**

ARSINI®

www.eai-co.com
eaindustry@yahoo.com

Cable trays are designed and manufactured to ensure ease during installation. Products are in 2 meter and 3 meter lengths as standard and offered in three different type of section, plain, 90 deg. Inside flange, inside return flange. The sections and its matching fittings are available in standard mill galvanized finish (BS 2989) (JIS G 3302) and Hot dip galvanized after fabrication finish (BS 729) and colored (Kiln-dried Electrostatic Paint) and stainless steel (316L,304). Materials and finishes are also available to suit customer s requirements. Below are cable tray ordering guides.

ORDERED BY CATALOG NUMBER

T A - 4 - 20 4 1.5 - HDG

GENERAL TYPE	└─┐	MATERIAL TYPE
HOLE TYPE	└─┐	THICKNESS
FLANGE TYPE	└─┐	SIDE HEIGHT
	└─┐	WIDTH

SPECIFICATIONS

GENERAL TYPE :

T = Tray

HOLE TYPE :

A = Floor hole

THICKNESS :

1 = 1mm
1.2 = 1.25mm
1.5 = 1.5mm
2 = 2mm

SIDE HEIGHTS :

4 = 40mm
5 = 50mm
6 = 60mm
10 = 100mm

WIDTH :


5 = 50mm	25 = 250mm	60 = 600mm
10 = 100mm	30 = 300mm	70 = 700mm
15 = 150mm	40 = 400mm	80 = 800mm
20 = 200mm	50 = 500mm	90 = 900mm
		100 = 100mm

MATERIAL TYPE :


HDG = Hot dip galvanized
SS = Stainless steel

PG = Pre galvanized
C = Colored


FLANGE TYPE



2 = PLAIN TYPE



4 = 90° INSIDE FLANGE



6 = INSIDE RETURN FLANGE

ORDER CODE	A mm	H mm	T mm
TA-6-5H1-?	50	40-50	1.0
TA-6-5H1.2-?	50	40-50	1.25
TA-6-10H1-?	100	40-50-60-100	1.0
TA-6-10H1.2-?	100	40-50-60-100	1.25
TA-6-10H1.5-?	100	40-50-60-100	1.5
TA-6-10H2-?	100	40-50-60-100	2.0
TA-6-15H1-?	150	40-50-60-100	1.0
TA-6-15H1.2-?	150	40-50-60-100	1.25
TA-6-15H1.5-?	150	40-50-60-100	1.5
TA-6-15H2-?	150	40-50-60-100	2.0
TA-6-20H1-?	200	40-50-60-100	1.0
TA-6-20H1.2-?	200	40-50-60-100	1.25
TA-6-20H1.5-?	200	40-50-60-100	1.5
TA-6-20H2-?	200	40-50-60-100	2.0
TA-6-25H1-?	250	40-50-60-100	1
TA-6-25H1.2-?	250	40-50-60-100	1.25
TA-6-25H1.5-?	250	40-50-60-100	1.5
TA-6-25H2-?	250	40-50-60-100	2.0
TA-6-30H1.2-?	300	40-50-60-100	1.25
TA-6-30H1.5-?	300	40-50-60-100	1.5
TA-6-30H2-?	300	40-50-60-100	2.0
TA-6-40H1.2-?	400	40-50-60-100	1.25
TA-6-40H1.5-?	400	40-50-60-100	1.5
TA-6-40H2-?	400	40-50-60-100	2.0
TA-6-50H1.5-?	500	40-50-60-100	1.5
TA-6-50H2-?	500	40-50-60-100	2.0
TA-6-60H1.5-?	600	40-50-60-100	1.5
TA-6-60H2-?	600	40-50-60-100	2.0
TA-6-70H2-?	700	40-50-60-100	2.0
TA-6-80H2-?	800	40-50-60-100	2.0
TA-6-90H2-?	900	40-50-60-100	2.0
TA-6-100H2-?	1000	40-50-60-100	2.0


ORDER CODE	A mm	H mm	T mm
TA-4-5H1-?	50	40-50	1.0
TA-4-5H1.2-?	50	40-50	1.25
TA-4-10H1-?	100	40-50-60-100	1.0
TA-4-10H1.2-?	100	40-50-60-100	1.25
TA-4-10H1.5-?	100	40-50-60-100	1.5
TA-4-10H2-?	100	40-50-60-100	2.0
TA-4-15H1-?	150	40-50-60-100	1.0
TA-4-15H1.2-?	150	40-50-60-100	1.25
TA-4-15H1.5-?	150	40-50-60-100	1.5
TA-4-15H2-?	150	40-50-60-100	2.0
TA-4-20H1-?	200	40-50-60-100	1.0
TA-4-20H1.2-?	200	40-50-60-100	1.25
TA-4-20H1.5-?	200	40-50-60-100	1.5
TA-4-20H2-?	200	40-50-60-100	2.0
TA-4-25H1-?	250	40-50-60-100	1
TA-4-25H1.2-?	250	40-50-60-100	1.25
TA-4-25H1.5-?	250	40-50-60-100	1.5
TA-4-25H2-?	250	40-50-60-100	2.0
TA-4-30H1.2-?	300	40-50-60-100	1.25
TA-4-30H1.5-?	300	40-50-60-100	1.5
TA-4-30H2-?	300	40-50-60-100	2.0
TA-4-40H1.2-?	400	40-50-60-100	1.25
TA-4-40H1.5-?	400	40-50-60-100	1.5
TA-4-40H2-?	400	40-50-60-100	2.0
TA-4-50H1.5-?	500	40-50-60-100	1.5
TA-4-50H2-?	500	40-50-60-100	2.0
TA-4-60H1.5-?	600	40-50-60-100	1.5
TA-4-60H2-?	600	40-50-60-100	2.0
TA-4-70H2-?	700	40-50-60-100	2.0
TA-4-80H2-?	800	40-50-60-100	2.0
TA-4-90H2-?	900	40-50-60-100	2.0
TA-4-100H2-?	1000	40-50-60-100	2.0

NOTES:

1. Cable tray length 2000-3000mm
2. Each cable tray need 1 pcs (U)shape connector
3. (?) → H.D.G: Hot dip galvanized

P.G: Pre galvanized

C: Colored



HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR HOLE (TA)

ARSINI®



www.eai-co.com
eaindustry@yahoo.com

1- (U)Shape connector

NOTES:

1. (U)shape connector length 150-300mm
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm	L mm
A1-5HTL-?	50	40-50	1 - 1.25	150-300
A1-10HTL-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
A1-15HTL-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
A1-20HTL-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
A1-25HTL-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
A1-30HTL-?	300	40-50-60-100	1.25 - 1.5 - 2	150-300
A1-40HTL-?	400	40-50-60-100	1.25 - 1.5 - 2	150-300
A1-50HTL-?	500	40-50-60-100	1.5 - 2	150-300
A1-60HTL-?	600	40-50-60-100	1.5 - 2	150-300
A1-70HTL-?	700	40-50-60-100	2	150-300
A1-80HTL-?	800	40-50-60-100	2	150-300
A1-90HTL-?	900	40-50-60-100	2	150-300
A1-100HTL-?	1000	40-50-60-100	2	150-300





Connection Example

2- Horizontal bend 45 degree

NOTES:

1. Each horizontal bend need 2 pcs (U)shape connector
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
A2-5HT-?	50	40-50	1 - 1.25
A2-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A2-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A2-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A2-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A2-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A2-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A2-50HT-?	500	40-50-60-100	1.5 - 2
A2-60HT-?	600	40-50-60-100	1.5 - 2
A2-70HT-?	700	40-50-60-100	2
A2-80HT-?	800	40-50-60-100	2
A2-90HT-?	900	40-50-60-100	2
A2-100HT-?	1000	40-50-60-100	2




Connection Example

3- Horizontal bend 90 degree (R150)


NOTES:

1. In our standard productions (B) dimensions with (A) Dimensions are equal, In your requests (B) dimensions Can be changed and the production can be made According to your request.
2. Each horizontal bend need 2 pcs (U)shape connector.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
A3-5HT-?(R)	50	40-50	1 - 1.25
A3-10HT-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A3-15HT-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A3-20HT-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A3-25HT-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A3-30HT-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
A3-40HT-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
A3-50HT-?(R)	500	40-50-60-100	1.5 - 2
A3-60HT-?(R)	600	40-50-60-100	1.5 - 2
A3-70HT-?(R)	700	40-50-60-100	2
A3-80HT-?(R)	800	40-50-60-100	2
A3-90HT-?(R)	900	40-50-60-100	2
A3-100HT-?(R)	1000	40-50-60-100	2



Connection Example





4- Horizontal tee (R150)

NOTES:

1. In our standard productions (A,B and C) dimensions Equal In your requests (B and C) dimensions can be Changed and the production can be made accorsing To your request.
2. Each horizontal tee need 3 pcs (U)shape connector.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
A4-5HT-?(R)	50	40-50	1 - 1.25
A4-10HT-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A4-15HT-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A4-20HT-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A4-25HT-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A4-30HT-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
A4-40HT-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
A4-50HT-?(R)	500	40-50-60-100	1.5 - 2
A4-60HT-?(R)	600	40-50-60-100	1.5 - 2
A4-70HT-?(R)	700	40-50-60-100	2
A4-80HT-?(R)	800	40-50-60-100	2
A4-90HT-?(R)	900	40-50-60-100	2
A4-100HT-?(R)	1000	40-50-60-100	2



Connection Example

HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR HOLE (TA)

ARSINI®



www.eai-co.com
eaiindustry@yahoo.com

5- Horizontal crossing(R150)


NOTES:

1. In our standard productions (A,B,C and D) dimensions Equal in your requests (B,C and D) dimensions can be Changed and the production can be made accorsing To your request.
2. Each horizontal crossing need 4 pcs (U)shape connector.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
A5-5HT-?(R)	50	40-50	1 - 1.25
A5-10HT-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A5-15HT-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A5-20HT-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A5-25HT-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A5-30HT-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
A5-40HT-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
A5-50HT-?(R)	500	40-50-60-100	1.5 - 2
A5-60HT-?(R)	600	40-50-60-100	1.5 - 2
A5-70HT-?(R)	700	40-50-60-100	2
A5-80HT-?(R)	800	40-50-60-100	2
A5-90HT-?(R)	900	40-50-60-100	2
A5-100HT-?(R)	1000	40-50-60-100	2




Connection Example



6- Reducer (Left)


NOTES:

1. The other sizes reductions can be produced as per Clint's requests
2. Each reducer left need 2 pcs (U)shape connector.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
A6-5HT-?	50	40-50	1 - 1.25
A6-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A6-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A6-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A6-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A6-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A6-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A6-50HT-?	500	40-50-60-100	1.5 - 2
A6-60HT-?	600	40-50-60-100	1.5 - 2
A6-70HT-?	700	40-50-60-100	2
A6-80HT-?	800	40-50-60-100	2
A6-90HT-?	900	40-50-60-100	2
A6-100HT-?	1000	40-50-60-100	2


Connection Example




7- Reducer (Middle)

NOTES:

1. The other sizes reductions can be produced as per Clint's requests.
2. Each reducer middle need 2 pcs (U)shape connector.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
A7-5HT-?	50	40-50	1 - 1.25
A7-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A7-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A7-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A7-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A7-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A7-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A7-50HT-?	500	40-50-60-100	1.5 - 2
A7-60HT-?	600	40-50-60-100	1.5 - 2
A7-70HT-?	700	40-50-60-100	2
A7-80HT-?	800	40-50-60-100	2
A7-90HT-?	900	40-50-60-100	2
A7-100HT-?	1000	40-50-60-100	2



Connection Example

HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR HOLE (TA)

ARSINI®


www.eai-co.com
eaindustry@yahoo.com

8- Reducer (Right)


NOTES:

1. The other sizes reductions can be produced as per Clint's requests.
2. Each reducer right need 2 pcs (U)shape connector.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
A8-5HT-?	50	40-50	1 - 1.25
A8-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A8-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A8-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A8-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A8-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A8-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A8-50HT-?	500	40-50-60-100	1.5 - 2
A8-60HT-?	600	40-50-60-100	1.5 - 2
A8-70HT-?	700	40-50-60-100	2
A8-80HT-?	800	40-50-60-100	2
A8-90HT-?	900	40-50-60-100	2
A8-100HT-?	1000	40-50-60-100	2



Connection Example




9- Separator (Divider)


NOTES:

1. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored


ORDER CODE	L mm	H mm	T mm
A9-2HT-?	2000 - 3000	36-46-56-96	1 - 1.25 - 1.5 - 2
A9-1HT-?	2000 - 3000	36-46-56-96	1 - 1.25 - 1.5 - 2



Connection Example




Connection Example




10- Inside vertical bend 90 degree

NOTES:

1. Each inside vertical bend need 2 pcs (U) shape connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	A mm	H mm	T mm
A10-5HT-?	50	40-50	1 - 1.25
A10-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A10-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A10-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A10-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A10-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A10-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A10-50HT-?	500	40-50-60-100	1.5 - 2
A10-60HT-?	600	40-50-60-100	1.5 - 2
A10-70HT-?	700	40-50-60-100	2
A10-80HT-?	800	40-50-60-100	2
A10-90HT-?	900	40-50-60-100	2
A10-100HT-?	1000	40-50-60-100	2




11- Outside vertical bend 90 degree

NOTES:

1. Each outside vertical bend need 2 pcs (U) shape connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
A11-5HT-?	50	40-50	1 - 1.25
A11-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A11-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A11-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A11-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A11-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A11-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A11-50HT-?	500	40-50-60-100	1.5 - 2
A11-60HT-?	600	40-50-60-100	1.5 - 2
A11-70HT-?	700	40-50-60-100	2
A11-80HT-?	800	40-50-60-100	2
A11-90HT-?	900	40-50-60-100	2
A11-100HT-?	1000	40-50-60-100	2



HEAVY DUTY CABLE TRAY ACCESSORIES FLOOR HOLE (TA)


ARSINI®

www.eai-co.com
eaindustry@yahoo.com


12- Inside vertical bend 90 degree

NOTES:

1. Each inside vertical bend need 2 pcs (U) shape connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	A mm	H mm	T mm
A12-5HT-?	50	40-50	1 - 1.25
A12-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A12-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A12-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A12-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A12-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A12-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A12-50HT-?	500	40-50-60-100	1.5 - 2
A12-60HT-?	600	40-50-60-100	1.5 - 2
A12-70HT-?	700	40-50-60-100	2
A12-80HT-?	800	40-50-60-100	2
A12-90HT-?	900	40-50-60-100	2
A12-100HT-?	1000	40-50-60-100	2




13- Outside vertical bend 90 degree

NOTES:

1. Each outside vertical bend need 2 pcs (U) shape connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
A13-5HT-?	50	40-50	1 - 1.25
A13-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A13-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A13-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A13-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A13-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A13-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A13-50HT-?	500	40-50-60-100	1.5 - 2
A13-60HT-?	600	40-50-60-100	1.5 - 2
A13-70HT-?	700	40-50-60-100	2
A13-80HT-?	800	40-50-60-100	2
A13-90HT-?	900	40-50-60-100	2
A13-100HT-?	1000	40-50-60-100	2




14- Vertical tee

NOTES:


1. Each vertical tee need 3 pcs (U) shape connector.
2. In our standard productions (B) dimensions with (A) Dimensions equal in your requests (B) dimensions Can be Changed and special dimensions (T) vertical tee produce.
3. (?) → H.D.G: Hot dip galvanized

P.G: Pre galvanized

C: Colored



ORDER CODE	A mm	H mm	T mm
A14-5HT-?	50	40-50	1 - 1.25
A14-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
A14-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
A14-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
A14-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
A14-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
A14-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
A14-50HT-?	500	40-50-60-100	1.5 - 2
A14-60HT-?	600	40-50-60-100	1.5 - 2
A14-70HT-?	700	40-50-60-100	2
A14-80HT-?	800	40-50-60-100	2
A14-90HT-?	900	40-50-60-100	2
A14-100HT-?	1000	40-50-60-100	2



15- Bolts & Nuts & Washers



A15-1



A15-2



A15-3



A15-4



A15-5



A15-6



A15-7



A15-8


ORDER CODE	(∅)D mm	L mm	Description
A15-1-6	M6	16 - 20	Slotted Truss Head
A15-1-8	M8	16 - 20	Slotted Truss Head
A15-2-6	M6	16 - 20	Hex Screw
A15-2-8	M8	16 - 20	Hex Screw
A15-3-6	M6	16 - 20	Cup Head Square Neck
A15-3-8	M8	16 - 20	Cup Head Square Neck
A15-4-6	M6	16	Flat Washer
A15-4-8	M8	20	Flat Washer
A15-5-6	M6	16	Spring Lock Washer
A15-5-8	M8	20	Spring Lock Washer
A15-6-6	M6		Square Nut
A15-6-8	M8		Square Nut
A15-7-6	M6		Hex Nut
A15-7-8	M8		Hex Nut
A15-8-6	M6		Hex Flange Nut
A15-8-8	M8		Hex Flange Nut

ARSINI®





www.eai-co.com / eaindustry@yahoo.com



HEAVY DUTY CABLE TRAY
FULL HOLE (TC)

HEAVY DUTY CABLE TRAY FULL HOLE (TC)

ARSINI®

www.eai-co.com
eaindustry@yahoo.com

Cable trays are designed and manufactured to ensure ease during installation. Products are in 2 meter and 3 meter lengths as standard and offered in three different type of section, plain, 90 deg. Inside flange, inside return flange. The sections and its matching fittings are available in standard mill galvanized finish (BS 2989) (JIS G 3302) and Hot dip galvanized after fabrication finish (BS 729) and colored (Kiln-dried Electrostatic Paint) and stainless steel (316L,304). Materials and finishes are also available to suit customer s requirements. Below are cable tray ordering guides.

ORDERED BY CATALOG NUMBER

TC - 4 - 20 4 1.5 - HDG

GENERAL TYPE

HOLE TYPE

FLANGE TYPE

MATERIAL TYPE

THICKNESS

SIDE HEIGHT

WIDTH

SPECIFICATIONS

GENERAL TYPE :

T = Tray

HOLE TYPE :

C = Full Hole or full punch

THICKNESS :

1 = 1mm

1.2 = 1.25mm

1.5 = 1.5mm

2 = 2mm

SIDE HEIGHTS :

4 = 40mm

5 = 50mm

6 = 60mm

10 = 100mm

WIDTH :

5 = 50mm

10 = 100mm

15 = 150mm

20 = 200mm

25 = 250mm

30 = 300mm

40 = 400mm

50 = 500mm

60 = 600mm

70 = 700mm

80 = 800mm

90 = 900mm

100 = 100mm

MATERIAL TYPE :


HDG = Hot dip galvanized

SS = Stainless steel


PG = Pre galvanized

C = Colored


FLANGE TYPE



2 = PLAIN TYPE



4 = 90° INSIDE FLANGE




6 = INSIDE RETURN FLANGE

ORDER CODE	A mm	H mm	T mm
TC-6-5H1-?	50	40-50	1.0
TC-6-5H1.2-?	50	40-50	1.25
TC-6-10H1-?	100	40-50-60-100	1.0
TC-6-10H1.2-?	100	40-50-60-100	1.25
TC-6-10H1.5-?	100	40-50-60-100	1.5
TC-6-10H2-?	100	40-50-60-100	2.0
TC-6-15H1-?	150	40-50-60-100	1.0
TC-6-15H1.2-?	150	40-50-60-100	1.25
TC-6-15H1.5-?	150	40-50-60-100	1.5
TC-6-15H2-?	150	40-50-60-100	2.0
TC-6-20H1-?	200	40-50-60-100	1.0
TC-6-20H1.2-?	200	40-50-60-100	1.25
TC-6-20H1.5-?	200	40-50-60-100	1.5
TC-6-20H2-?	200	40-50-60-100	2.0
TC-6-25H1-?	250	40-50-60-100	1
TC-6-25H1.2-?	250	40-50-60-100	1.25
TC-6-25H1.5-?	250	40-50-60-100	1.5
TC-6-25H2-?	250	40-50-60-100	2.0
TC-6-30H1.2-?	300	40-50-60-100	1.25
TC-6-30H1.5-?	300	40-50-60-100	1.5
TC-6-30H2-?	300	40-50-60-100	2.0
TC-6-40H1.2-?	400	40-50-60-100	1.25
TC-6-40H1.5-?	400	40-50-60-100	1.5
TC-6-40H2-?	400	40-50-60-100	2.0
TC-6-50H1.5-?	500	40-50-60-100	1.5
TC-6-50H2-?	500	40-50-60-100	2.0
TC-6-60H1.5-?	600	40-50-60-100	1.5
TC-6-60H2-?	600	40-50-60-100	2.0
TC-6-70H2-?	700	40-50-60-100	2.0
TC-6-80H2-?	800	40-50-60-100	2.0
TC-6-90H2-?	900	40-50-60-100	2.0
TC-6-100H2-?	1000	40-50-60-100	2.0

ORDER CODE	A mm	H mm	T mm
TC-4-5H1-?	50	40-50	1.0
TC-4-5H1.2-?	50	40-50	1.25
TC-4-10H1-?	100	40-50-60-100	1.0
TC-4-10H1.2-?	100	40-50-60-100	1.25
TC-4-10H1.5-?	100	40-50-60-100	1.5
TC-4-10H2-?	100	40-50-60-100	2.0
TC-4-15H1-?	150	40-50-60-100	1.0
TC-4-15H1.2-?	150	40-50-60-100	1.25
TC-4-15H1.5-?	150	40-50-60-100	1.5
TC-4-15H2-?	150	40-50-60-100	2.0
TC-4-20H1-?	200	40-50-60-100	1.0
TC-4-20H1.2-?	200	40-50-60-100	1.25
TC-4-20H1.5-?	200	40-50-60-100	1.5
TC-4-20H2-?	200	40-50-60-100	2.0
TC-4-25H1-?	250	40-50-60-100	1
TC-4-25H1.2-?	250	40-50-60-100	1.25
TC-4-25H1.5-?	250	40-50-60-100	1.5
TC-4-25H2-?	250	40-50-60-100	2.0
TC-4-30H1.2-?	300	40-50-60-100	1.25
TC-4-30H1.5-?	300	40-50-60-100	1.5
TC-4-30H2-?	300	40-50-60-100	2.0
TC-4-40H1.2-?	400	40-50-60-100	1.25
TC-4-40H1.5-?	400	40-50-60-100	1.5
TC-4-40H2-?	400	40-50-60-100	2.0
TC-4-50H1.5-?	500	40-50-60-100	1.5
TC-4-50H2-?	500	40-50-60-100	2.0
TC-4-60H1.5-?	600	40-50-60-100	1.5
TC-4-60H2-?	600	40-50-60-100	2.0
TC-4-70H2-?	700	40-50-60-100	2.0
TC-4-80H2-?	800	40-50-60-100	2.0
TC-4-90H2-?	900	40-50-60-100	2.0
TC-4-100H2-?	1000	40-50-60-100	2.0

NOTES:

1. Cable tray length 2000-3000mm
2. Each cable tray need 1 pcs (U)shape connector
Or 2 pcs straight connector.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



HEAVY DUTY CABLE TRAY ACCESSORIES FULL HOLE (TC)

ARSINI®

www.eai-co.com
eaindustry@yahoo.com

1- (U)Shape connectors



NOTES:

1. (U)shape connector length 150-300mm

2. (?) → H.D.G: Hot dip galvanized


P.G: Pre galvanized

C: Colored




ORDER CODE	A mm	H mm	T mm	L mm
C1-5HTL-?	50	40 - 50	1 - 1.25	150-300
C1-10HTL-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
C1-15HTL-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
C1-20HTL-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
C1-25HTL-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2	150-300
C1-30HTL-?	300	40-50-60-100	1.25 - 1.5 - 2	150-300
C1-40HTL-?	400	40-50-60-100	1.25 - 1.5 - 2	150-300
C1-50HTL-?	500	40-50-60-100	1.5 - 2	150-300
C1-60HTL-?	600	40-50-60-100	1.5 - 2	150-300
C1-70HTL-?	700	40-50-60-100	2	150-300
C1-80HTL-?	800	40-50-60-100	2	150-300
C1-90HTL-?	900	40-50-60-100	2	150-300
C1-100HTL-?	1000	40-50-60-100	2	150-300

Connection Example



2- Straight connectors

ORDER CODE	L mm	H mm	T mm
C2-1HT-?	200 - 300	40-50-60-100	1 - 1.25 - 1.5 - 2
C2-2HT-?	200 - 300	40-50-60-100	1 - 1.25 - 1.5 - 2




C2-1

NOTES:

1. (?) → H.D.G: Hot dip galvanized


P.G: Pre galvanized

C: Colored




C2-2

Connection Example



Connection Example




3- Horizontal bend 90 degree (R150)


NOTES:

1. In our standard productions (B) dimensions with (A) Dimensions are equal, In your requests (B) dimensions Can be changed and the production can be made According to your request.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
C3-5HT-?(R)	50	40-50	1 - 1.25
C3-10HT-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C3-15HT-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C3-20HT-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C3-25HT-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C3-30HT-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
C3-40HT-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
C3-50HT-?(R)	500	40-50-60-100	1.5 - 2
C3-60HT-?(R)	600	40-50-60-100	1.5 - 2
C3-70HT-?(R)	700	40-50-60-100	2
C3-80HT-?(R)	800	40-50-60-100	2
C3-90HT-?(R)	900	40-50-60-100	2
C3-100HT-?(R)	1000	40-50-60-100	2



Connection Example




4- Horizontal tee (R150)


NOTES:

1. In our standard productions (A,B and C) dimensions Equal In your requests (B and C) dimensions can be Changed and the production can be made accorsing To your request.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored

ORDER CODE	A mm	H mm	T mm
C4-5HT-?(R)	50	40-50	1 - 1.25
C4-10HT-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C4-15HT-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C4-20HT-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C4-25HT-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C4-30HT-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
C4-40HT-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
C4-50HT-?(R)	500	40-50-60-100	1.5 - 2
C4-60HT-?(R)	600	40-50-60-100	1.5 - 2
C4-70HT-?(R)	700	40-50-60-100	2
C4-80HT-?(R)	800	40-50-60-100	2
C4-90HT-?(R)	900	40-50-60-100	2
C4-100HT-?(R)	1000	40-50-60-100	2



Connection Example



HEAVY DUTY CABLE TRAY ACCESSORIES FULL HOLE (TC)

ARSINI®

www.eai-co.com
eaiindustry@yahoo.com

5- Horizontal crossing(R150)


NOTES:

1. In our standard productions (A,B,C and D) dimensions Equal In your requests (B,C and D) dimensions can be Changed and the production can be made accorsing To your request.


2. (?) → H.D.G: Hot dip galvanized

P.G: Pre galvanized

C: Colored



ORDER CODE	A mm	H mm	T mm
C5-5HTL-?(R)	50	40-50	1 - 1.25
C5-10HTL-?(R)	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C5-15HTL-?(R)	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C5-20HTL-?(R)	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C5-25HTL-?(R)	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C5-30HTL-?(R)	300	40-50-60-100	1.25 - 1.5 - 2
C5-40HTL-?(R)	400	40-50-60-100	1.25 - 1.5 - 2
C5-50HTL-?(R)	500	40-50-60-100	1.5 - 2
C5-60HTL-?(R)	600	40-50-60-100	1.5 - 2
C5-70HTL-?(R)	700	40-50-60-100	2
C5-80HTL-?(R)	800	40-50-60-100	2
C5-90HTL-?(R)	900	40-50-60-100	2
C5-100HTL-?(R)	1000	40-50-60-100	2



Connection Example


6- Horizontal bend 45 degree

NOTES:


1. (?) → H.D.G: Hot dip galvanized

P.G: Pre galvanized


C: Colored



ORDER CODE	A mm	H mm	T mm
C6-5HT-?	50	40-50	1 - 1.25
C6-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C6-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C6-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C6-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C6-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C6-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C6-50HT-?	500	40-50-60-100	1.5 - 2
C6-60HT-?	600	40-50-60-100	1.5 - 2
C6-70HT-?	700	40-50-60-100	2
C6-80HT-?	800	40-50-60-100	2
C6-90HT-?	900	40-50-60-100	2
C6-100HT-?	1000	40-50-60-100	2



Connection Example



HEAVY DUTY CABLE TRAY ACCESSORIES FULL HOLE (TC)


ARSINI®

www.eai-co.com
eaiindustry@yahoo.com


7- Reducer (Left)

NOTES:

1. The other sizes reductions can be produced as per Clint's requests.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
C7-5HTL-?	50	40-50	1 - 1.25
C7-10HTL-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C7-15HTL-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C7-20HTL-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C7-25HTL-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C7-30HTL-?	300	40-50-60-100	1.25 - 1.5 - 2
C7-40HTL-?	400	40-50-60-100	1.25 - 1.5 - 2
C7-50HTL-?	500	40-50-60-100	1.5 - 2
C7-60HTL-?	600	40-50-60-100	1.5 - 2
C7-70HTL-?	700	40-50-60-100	2
C7-80HTL-?	800	40-50-60-100	2
C7-90HTL-?	900	40-50-60-100	2
C7-100HTL-?	1000	40-50-60-100	2




Connection Example


8- Reducer (Middle)

NOTES:

1. The other sizes reductions can be produced as per Clint's requests.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
C8-5HT-?	50	40-50	1 - 1.25
C8-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C8-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C8-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C8-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C8-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C8-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C8-50HT-?	500	40-50-60-100	1.5 - 2
C8-60HT-?	600	40-50-60-100	1.5 - 2
C8-70HT-?	700	40-50-60-100	2
C8-80HT-?	800	40-50-60-100	2
C8-90HT-?	900	40-50-60-100	2
C8-100HT-?	1000	40-50-60-100	2




Connection Example


9- Reducer (Right)

NOTES:

1. The other sizes reductions can be produced as per Clint's requests.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	A mm	H mm	T mm
C9-5HT-?	50	40-50	1 - 1.25
C9-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C9-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C9-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C9-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C9-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C9-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C9-50HT-?	500	40-50-60-100	1.5 - 2
C9-60HT-?	600	40-50-60-100	1.5 - 2
C9-70HT-?	700	40-50-60-100	2
C9-80HT-?	800	40-50-60-100	2
C9-90HT-?	900	40-50-60-100	2
C9-100HT-?	1000	40-50-60-100	2



10- Separator (Divider)


NOTES:

1. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	L mm	H mm	T mm
C10-2HT-?	2000 - 3000	36-46-56-96	1 - 1.25 - 1.5 - 2
C10-1HT-?	2000 - 3000	36-46-56-96	1 - 1.25 - 1.5 - 2

Connection Example



Connection Example



HEAVY DUTY CABLE TRAY ACCESSORIES FULL HOLE (TC)


ARSINI®

www.eai-co.com
eaiindustry@yahoo.com


11- Inside vertical bend 90 degree

NOTES:

1. Each inside vertical bend need 2 pcs (U) shape connector
Or 4 pcs straight connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored





ORDER CODE	A mm	H mm	T mm
C11-5HT-?	50	40-50	1 - 1.25
C11-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C11-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C11-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C11-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C11-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C11-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C11-50HT-?	500	40-50-60-100	1.5 - 2
C11-60HT-?	600	40-50-60-100	1.5 - 2
C11-70HT-?	700	40-50-60-100	2
C11-80HT-?	800	40-50-60-100	2
C11-90HT-?	900	40-50-60-100	2
C11-100HT-?	1000	40-50-60-100	2




12- Outside vertical bend 90 degree

NOTES:

1. Each outside vertical bend need 2 pcs (U) shape connector
OR 4 pcs straight connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	A mm	H mm	T mm
C12-5HT-?	50	40-50	1 - 1.25
C12-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C12-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C12-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C12-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C12-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C12-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C12-50HT-?	500	40-50-60-100	1.5 - 2
C12-60HT-?	600	40-50-60-100	1.5 - 2
C12-70HT-?	700	40-50-60-100	2
C12-80HT-?	800	40-50-60-100	2
C12-90HT-?	900	40-50-60-100	2
C12-100HT-?	1000	40-50-60-100	2




13- Inside vertical bend 90 degree

NOTES:

1. Each inside vertical bend need 2 pcs (U) shape connector
Or 4 pcs straight connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
C13-5HT-?	50	40-50	1 - 1.25
C13-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C13-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C13-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C13-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C13-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C13-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C13-50HT-?	500	40-50-60-100	1.5 - 2
C13-60HT-?	600	40-50-60-100	1.5 - 2
C13-70HT-?	700	40-50-60-100	2
C13-80HT-?	800	40-50-60-100	2
C13-90HT-?	900	40-50-60-100	2
C13-100HT-?	1000	40-50-60-100	2




Connection Example


14- Outside vertical bend 90 degree

NOTES:

1. Each outside vertical bend need 2 pcs (U) shape connector
Or 4 pcs straight connector.
2. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
C14-5HT-?	50	40-50	1 - 1.25
C14-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C14-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C14-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C14-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C14-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C14-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C14-50HT-?	500	40-50-60-100	1.5 - 2
C14-60HT-?	600	40-50-60-100	1.5 - 2
C14-70HT-?	700	40-50-60-100	2
C14-80HT-?	800	40-50-60-100	2
C14-90HT-?	900	40-50-60-100	2
C14-100HT-?	1000	40-50-60-100	2



Connection Example

HEAVY DUTY CABLE TRAY ACCESSORIES FULL HOLE (TC)


ARSINI®

www.eai-co.com
eaindustry@yahoo.com

15- Adjustable vertical bend unit


NOTES:

1. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored




ORDER CODE	A mm	H mm	T mm
C15-5HT-?	50	40-50	1 - 1.25
C15-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C15-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C15-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C15-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C15-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C15-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C15-50HT-?	500	40-50-60-100	1.5 - 2
C15-60HT-?	600	40-50-60-100	1.5 - 2
C15-70HT-?	700	40-50-60-100	2
C15-80HT-?	800	40-50-60-100	2
C15-90HT-?	900	40-50-60-100	2
C15-100HT-?	1000	40-50-60-100	2

Connection Example




Connection Example




16- Adjustable straight joint unit

NOTES:

1. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	L mm	H mm	T mm
C16-HT-?	140	40 - 50 - 60 - 100	1 - 1.25 - 1.5 - 2




Connection Example


17- Vertical tee

NOTES:

1. Each vertical tee need 3 pcs (U) shape connector or 6 pcs Straight connector.
2. In our standard productions (B) dimensions with (A) Dimensions equal in your requests (B) dimensions Can be Changed and special dimensions (T) vertical tee produce.
3. (?) → H.D.G: Hot dip galvanized
P.G: Pre galvanized
C: Colored



ORDER CODE	A mm	H mm	T mm
C17-5HT-?	50	40-50	1 - 1.25
C17-10HT-?	100	40-50-60-100	1 - 1.25 - 1.5 - 2
C17-15HT-?	150	40-50-60-100	1 - 1.25 - 1.5 - 2
C17-20HT-?	200	40-50-60-100	1 - 1.25 - 1.5 - 2
C17-25HT-?	250	40-50-60-100	1 - 1.25 - 1.5 - 2
C17-30HT-?	300	40-50-60-100	1.25 - 1.5 - 2
C17-40HT-?	400	40-50-60-100	1.25 - 1.5 - 2
C17-50HT-?	500	40-50-60-100	1.5 - 2
C17-60HT-?	600	40-50-60-100	1.5 - 2
C17-70HT-?	700	40-50-60-100	2
C17-80HT-?	800	40-50-60-100	2
C17-90HT-?	900	40-50-60-100	2
C17-100HT-?	1000	40-50-60-100	2



18- Bolts & Nuts & Washers



C18-1



C18-2



C18-3



C18-4



C18-5



C18-6



C18-7



C18-8

ORDER CODE	(∅)D mm	L mm	Description
C18-1-6	M6	16 - 20	Slotted Truss Head
C18-1-8	M8	16 - 20	Slotted Truss Head
C18-2-6	M6	16 - 20	Hex Screw
C18-2-8	M8	16 - 20	Hex Screw
C18-3-6	M6	16 - 20	Cup Head Square Neck
C18-3-8	M8	16 - 20	Cup Head Square Neck
C18-4-6	M6	16	Flat Washer
C18-4-8	M8	20	Flat Washer
C18-5-6	M6	16	Spring Lock Washer
C18-5-8	M8	20	Spring Lock Washer
C18-6-6	M6		Square Nut
C18-6-8	M8		Square Nut
C18-7-6	M6		Hex Nut
C18-7-8	M8		Hex Nut
C18-8-6	M6		Hex Flange Nut
C18-8-8	M8		Hex Flange Nut

ARSINI®

